

ENGINEERS • PLANNERS • SCIENTISTS • CONSTRUCTION MANAGERS

936 RIDGEBROOK ROAD • SPARKS, MD 21152 • 410-316-7800 • (FAX) 410-316-7935

May 17, 2023

Mr. Brian Croyle, Environmental Specialist Montgomery County Public Schools Division of Sustainability and Compliance 8301 Turkey Thicket Drive Gaithersburg, MD 20879

Ref: Sampling for Asphalt Fumes and Hydrogen Sulfide Gas – 5.3.23

Poolesville High School KCI Job No. 122302497

KCI Technologies Inc. (KCI) is submitting the following letter report detailing the findings of air sampling of Asphalt Fumes (benzene soluble fraction) and Hydrogen Sulfide gas at Poolesville High School located at 17501 W. Willard Rd. Poolesville, MD 20837 (subject site). Baseline sampling was conducted by KCI's Industrial Hygienist, Ms. Brittany Maas, under the oversight of KCI's Certified Industrial Hygienist (CIH), Mr. Jonathan Coale.

Background:

At Poolesville High School, current renovations and construction has raised concerns from student parents. Students and faculty have voiced concerns related to an odor present in the school while the roofing work is occurring. The parents are concerned the students are being exposed to unsafe conditions related to the asphalt fumes being produced during the roofing installation. MCPS contacted KCI to assist them in collecting data on the school's occupants' potential exposure to fumes related to the roofing work being conducted.

Description of the Work Performed:

On May 3, 2023, KCI conducted air sampling for Asphalt Fumes (benzene soluble fraction) and Hydrogen Sulfide gas levels at Poolesville High School. The sampling of Asphalt Fumes (benzene soluble fraction) was done under method: Modified NIOSH 5042. This method will determine the total concentration of total particulate and the soluble fraction to which an individual is exposed. NIOSH has an adopted value of 5 mg/m³ Threshold Limit Value (TLV) -Time-Weighted Average (TWA) for asphalt fumes. NIOSH's definition of TLV-TWA is the "concentration for a conventional 8-hour workday and a 40-hour workweek, to which it is believed that nearly all workers may be repeatedly exposed, day after day, for a working lifetime without adverse effect". KCI also utilized a mulit-gas meter to collect real time readings of hydrogen sulfide (H₂S), carbon monoxide (CO), and oxygen (O₂) levels in various locations throughout the building and exterior. Direct read data was performed to collect short term "grab" samples to determine if the gas was present and was not intended to collect exposure data.

During the time of the air sampling, construction was being conducted, there was little to no asphalt smell noted outside of the building. KCI placed six (6) sampling pumps set to approximately 1 liter per minute in locations pre-determined by MCPS. It is KCI's understanding that the sample locations selected by MCPS were where complaints were made from students. After all sampling pumps were placed, KCI took real time readings of the hydrogen sulfide levels at each of these locations every 30 minutes inside and

KCI Technologies, Inc. www.kci.com

every 30 minutes outside. A sampling location map can be found in attachment A.

KCI conducted the screening from approximately 07:45 until 14:30. Conditions during the sampling period were clear skies and $47^{\circ}F$ - $54^{\circ}F$. Winds were between 14 and 17mph with gusts up to 28mph from NW, WNW, and W

After sampling, the cassettes were sealed, logged, bagged, and shipped as required to Galson Laboratories in East Syracuse, NY, where they were analyzed for Asphalt Fume (benzene soluble fraction) Modified NIOSH Method 5042. Galson Laboratories is accredited by the American Industrial Hygiene Association (#100324).

Results:

Asphalt Fumes (Benzene Soluble Fraction)

Table 1 – Asphalt Fumes Sampling Summary							
Location	Sample Number	Concentration (mg/m³)	Above TLV-TWA?				
Arts Hallway – Outside Room 44	PHS – 01C	< 0.28	No				
Auditorium Lobby	PHS – 02C	< 0.28	No				
Gym Hallway	PHS – 03C	<0.28	No				
Science Building 1st Floor – Outside Room 184	PHS – 04C	<0.28	No				
Science Building 2 nd Floor – Outside Room 284	PHS – 05C	<0.28	No				
Walkway between Science Building and Main Building – (exterior)	PHS – 06C	<0.28	No				
Field Blank	PHS – 07C	N/A	N/A				
Lab Blank	PHS – 08C	N/A	N/A				
N/A: Not Applicable							

Laboratory analysis results are included as Attachment B.

Gas Meter Readings

Table 2 May Committee Committee Committee								
Table 2 – Multi-Gas Meter Sampling Summary								
Time	Oxygen (O2)	Carbon Monoxide (CO)	Hydrogen Sulfide (H2S)					
0800 - 0820	20.8	0	0					
0830 - 0835	20.8	0	0					
0900 - 0905	20.8	0	0					
0930 - 0935	20.8	0	0					
1000 - 1005	20.8	0	0					
1030 - 1035	20.8	0	0					
1100 - 1105	20.8	0	0					
1130 – 1135	20.8	0	0					
1200 - 1205	20.8	0	0					
1230 - 1235	20.8	0	0					
1300 - 1305	20.8	0	0					
1330 - 1335	20.8	0	0					
1400 - 1420	20.8	0	0					

Olfactory Findings

During walkthroughs, KCI noted the following asphalt smells:

Table 3 – Olfactory Investigation Summary								
Location	Findings							
Location	Morning	Mid-Day	End of Day					
Exterior Outside New Main	No Asphalt Smell	No Asphalt Smell	No Asphalt Smell					
Office								
Exterior Between Main Building	Moderate Asphalt	Heavy Asphalt	Moderate Asphalt Smell					
& Science/Tech Addition	Smell	Smell						
Exterior By Portables	No Asphalt Smell	Light Asphalt	Moderate Asphalt Smell					
·		Smell	_					
Main Lobby	No Asphalt Smell	No Asphalt Smell	No Asphalt Smell					
Art Hallway	No Asphalt Smell	No Asphalt Smell	Light Asphalt Smell					
Auditorium Corridor	Light Asphalt	Light Asphalt	Light Asphalt Smell					
	Smell	Smell						
Gym Hallway	Light Asphalt	Light Asphalt	Light Asphalt Smell					
	Smell	Smell						
Science and Technology	No Asphalt Smell	Light Asphalt	Light Asphalt Smell					
Addition		Smell						
Student Parking Lot	No Asphalt Smell	No Asphalt Smell	No Asphalt Smell					

Conclusion:

In conclusion, the baseline sampling data determined airborne Asphalt Fumes concentrations were below the NIOSH TLV-TWA adopted value during the period of sampling. In addition, H₂S and CO concentrations were not present or at concentrations below the gas meters detectable range. Oxygen levels were at the expected levels.

During sampling, asphalt roofing activities were being performed.

If you have questions or comments regarding this report, please contact me.

Sincerely,


KCI Technologies, Inc


Jonathan S. Coale, CIH, CIEC Certified Industrial Hygienist KCI Technologies, Inc.

Attachment A: Sample Locations

Attachment B: Laboratory Certificate of Analysis Report for Air Samples

Attachment A Field Notes





Attachment B Laboratory Certificate of Analysis Report for Air Samples



Jon Coale KCI Technologies 936 Ridgebrook Road Sparks Glencoe, MD 21152 May 11, 2023

Account# 17844 Login# L593224

Dear Jon Coale:

Enclosed are the analytical results for the samples received by our laboratory on May 04, 2023. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab Laboratory Director

Lisa Luab

Enclosure(s)



ANALYTICAL REPORT

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at http://www.sgsgalson.com in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	IHLAP, ELLAP, EMLAP ISO/IEC 17025 and USEPA NLLAP		Industrial Hygiene, Environmental Lead,
			Environmental Microbiology
State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Hew Tork (HTSBOTT)	LEAI did NELAC (TNI)	LUD ID. IIUZU	All Allalysis, Solid alla Hazardous Waste

Legend

< - Less than > - Greater than I - Liters	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



LABORATORY ANALYSIS REPORT

GALSON

6601 Kirkville Road
East Syracuse, NY 13057

(315) 432-5227 FAX: (315) 437-0571 www.sqsqalson.com Client : KCI Technologies
Site : POOLESVILLE HS
Project No. : POOLESVILLE HS

Date Sampled : 03-MAY-23
Date Received : 04-MAY-23

Account No.: 17844 Login No. : L593224

Date Analyzed : 11-MAY-23
Report ID : 1357580

Approved by: JGC

Asphalt Fumes (Benzene-Soluble Fraction)

		Air Vol	Total	Conc
Sample ID	<u>Lab ID</u>	liter	mg	mg/m3
PHS-01C	L593224-1	360	<0.10	<0.28
PHS-02C	L593224-2	360	<0.10	<0.28
PHS-03C	L593224-3	360	<0.10	<0.28
PHS-04C	L593224-4	360	<0.10	<0.28
PHS-05C	L593224-5	360	<0.10	<0.28
PHS-06C	L593224-6	360	<0.10	<0.28
PHS-07C	L593224-7	NA	<0.10	NA
PHS-08C	L593224-8	NA	<0.10	NA

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Level of Quantitation: 0.10 mg

Analytical Method : mod. NIOSH 5042; Gravimetric

Collection Media : PTFE PW 1u 37mm

Submitted by: KGB

Date : 11-MAY-23

Supervisor : JGC



LABORATORY FOOTNOTE REPORT

Client Name : KCI Technologies : POOLESVILLE HS Project No. : POOLESVILLE HS

Date Sampled: 03-MAY-23

Date Received: 04-MAY-23 Date Analyzed: 11-MAY-23

L593224 (Report ID: 1357580):

6601 Kirkville Road East Syracuse, NY 13057

FAX: (315) 437-0571

www.sgsgalson.com

(315) 432-5227

SOPs: ic-asphalt(26)

BSF = Benzene Soluble Fraction

L593224 (Report ID: 1357580):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Account No.: 17844

Login No. : L593224

Parameter	Accuracy	Mean Recovery
Asphalt Fumes (Benzene	Soluble Fraction) +/-15.7%	93%



L593224 GALSON CHAIN OF CUSTODY

Turn Around Time (TAT):	(surcharge)	You may edit	and complete this COC elec	ctronically by	logging in to you	r Client Portal account	t at https://portal.galsonlabs.c	om/	
Standard	0%					·	. .		
4 Business Days	35%	Client Acct No	.: Report To :	Jon Coal	le .		Invoice To:	Accounts Payable	
3 Business Days	50%	17844	Company Name :	KCI Tech	nologies		Company Name :	KCI TECHNOLOGIES INC	
2 Business Days	75%	0-:-:10	M= .	936 Rid	gebrook Road		Address 1 :	936 Ridgebrook Road	
Next Day by 6pm	100%	Original Prep	Address 2.				Address 2 :		
Next Day by Noon	150%	101077221			Slencoe, MD 2	1152	-	Sparks, MD 21152	
Same Day	200%	CS Rep:	Phone No. :	410 - 89	91 - 1810			410 - 316 - 0818	- .
	<u> </u>	TLANCASTER				<u></u>	Email Address :	ap@kci.com	
Samples submitted usin FreePumpLoan™ Progra			•		.Coale@kci.c		Comments : P.O. No. :		
Samples submitted usin		Online COC N	o.: Comments :	Jonathar	.Coale@kci.c	om	P.O. No. :	П	
FreeSamplingBadges™	-	270338	Comments.			-		I will call SGS Galson to provide Card on File (enter the last five c	
									9
							ı		
Comments: 410 F	· 73	9, RH	cloudy co	nditto	ins		State Sample		
'0 '	, ,	70 1-11						OSHA PEL ACGIH TLV	
								Specify Limit(s)	Other : Specify Other
Site Name :		Project	: Poolesville HS		Sampled By :		List description	of industry or Process/interferences	
Poolesvill	e HS		. Toolesville mb		1 ' '	Britans		or modelly of 1100035/mentines	oresent in sampling area.
Sample ID *					Sample Volume	Liters U			Hexavalent Chromium
(Maximum of 20 Charact	ers) Dat	e Sampled *	Collection Medium	1	Sample Time Sample Area *	Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Process (e.g., welding, plating, painting, etc.)
			37mm lum PW PTFE,	2pc			Asphalt Fume (Benzer	ne mod. NIOSH 5042;	proxing, pointing, etc.,
PHS-OIC	5/	(3/23	(black band)		360	Liters	Soluble Fraction)	Gravimetric	
		·	37mm lum PW PTFE,	2pc			Asphalt Fume (Benze	ne mod. NIOSH 5042;	
PHS-02C	15	/3/23	(black band)	1	360	Liters	Soluble Fraction)	Gravimetric	
. 10 0 0 0		10103	***	<u> </u>			<u></u>		
^ If the method(s) indic	ated on the C	OC are not our	outine/preferred method(s), we will sul	stitute our routine	e/preferred methods. I	f this is not acceptable, check	here to have us contact you.	
Chain of Custody	F	rint Name / Sig	nature	Date	Time		Print Name	/ Signature	Date Time
Relinquished By:	Hany	Maas &	Sutter Man	5/3/2	23	Received By:	NO Ferrain	// 5	4/23/1130
Relinquished By:						Received By :	na rai cira	We.	
			* You must f	fill in these c	olumns for any sa	mples which you are s	submitting.	Online COC No. : 2703	
			Samples i	received afte	r 3pm will be cons	sidered as next day's b	ousiness.	Prep No. : PSY Account No. : 1784	
				-					/2023 7:26:09 AM
All services are rendered in accordance with the applicable SGS General Conditions of Service accessible via: http://www.sgs.com/en/Terms-end-Conditions.aspx									

Page: 1/2



Comments :		-						
:								
Sample ID (Maximum of 20 Cl	I Hate Sample	6 * Collection Medium	n Sa	nple Volume mple Time nple Area *	Liters Minutes in², cm², ft² *	Analysis Requested	Method Reference ^	Hexavalent Chromium Process (e.g., welding, plating, painting, etc.)
PHS - 03 (5/3/2	37mm 1um PW PTFE, (black band)	^{2pc} 3	0 ما	Citers	Asphalt Fume (Benzene Soluble Fraction)	mod. NIOSH 5042; Gravimetric	
PHS - 04 (. 1	37mm 1um PW PTFE, (black band)		60	Liters	Asphalt Fume (Benzene Soluble Fraction)	mod. NIOSH 5042; Gravimetric	
PHS - 05	c 5/3/2	37mm 1um PW PTFE, (black band)		60	Liters	Asphalt Fume (Benzene Soluble Fraction)	mod. NIOSH 5042; Gravimetric	
PHS -06	C 5/3/2	37mm lum PW PTFE, (black band)	^{2pc} 3	60	Liters	Asphalt Fume (Benzene Soluble Fraction)	mod. NIOSH 5042; Gravimetric	
PHS -0-	10 5/3/6	37mm 1um PW PTFE, (black band)	2pc 2			Asphalt Fume (Benzene Soluble Fraction)	mod. NIOSH 5042; Gravimetric	
PHS - 08	C 5/3/a	37mm lum PW PTFE, (black band)	2pc			Asphalt Fume (Benzene Soluble Fraction)	mod. NIOSH 5042; Gravimetric	
				•				
<u> </u>					/preferred methods. I	f this is not acceptable, check here		
Chain of Custody Relinquished By:		/ Signature Baller Mu	5/3/23	Time	Received By	Print Name / Sign		Date Time 5/4/23 1130
Relinquished By:	Britlany Maas	Contract of the	10/5/0/	'	Received By :	migratia A	e e	214162 112
	* You must fill in these columns for any samples which you are submitting. Samples received after 3pm will be considered as next day's business. Online COC No. : 270338 Prep No. : PSY694221 Account No. : 17844 Draft : 4/21/2023 7:26:09 AM							
	All services are re	ndered in accordance with the a	pplicable SGS G	eneral Condition	ons of Service accessi	ble via: http://www.sgs.com/en/Ter	ms-end-Conditions.aspx	